

HLAVNÍ TÉMA

CHIRURGICKÁ LÉČBA SEKUNDÁRNÍ STENÓZY BEDERNÍ PÁTEŘE (NARATIVNÍ PŘEHLED PROBLEMATIKY)

LITERATURA

1. Adamova B, Vohanka S, Dusek L, et al. Outcomes and their predictors in lumbar spinal stenosis: a 12-year follow-up. *Eur Spine J.* 2015;24(2):369-80. doi: 10.1007/s00586-014-3411-y.
2. Aryanpur J, Ducker T. Multilevel lumbar laminotomies for focal spinal stenosis: case report. *Neurosurgery.* 1988;23(1):111-5. doi: 10.1227/00006123-198807000-00021.
3. Deyo RA, Martin BI, Ching A, et al. Interspinous spacers compared with decompression or fusion for lumbar stenosis: complications and repeat operations in the medicare population. *Spine.* 2013;38:865-872. doi: 10.1097/BRS.0b013e31828631b8.
4. Gibson JN, Waddell G. Surgery for degenerative lumbar spondylosis: updated Cochrane Review. *Spine (Phila Pa 1976).* 2005;30(20):2312-20. doi: 10.1097/01.brs.0000182315.88558.9c
5. Hurri H, Slätis P, Soini J, et al. Lumbar spinal stenosis: assessment of long-term outcome 12 years after operative and conservative treatment. *J Spinal Disord.* 1998;11(2):110-5.
6. Jansson KA, Blomqvist P, Granath F, Németh G. Spinal stenosis surgery in Sweden 1987-1999. *Eur Spine J.* 2003;12(5):535-41. doi: 10.1007/s00586-003-0544-9.
7. Lurie J, Tomkins-Lane C. Management of lumbar spinal stenosis. *BMJ.* 2016;352:h6234. doi:10.1136/bmj.h6234.
8. Katz JN, Lipson SJ, Lew RA, et al. Lumbar laminectomy alone or with instrumented or noninstrumented arthrodesis in degenerative lumbar spinal stenosis. Patient selection, costs, and surgical outcomes. *Spine (Phila Pa 1976).* 1997;22(10):1123-31. doi: 10.1097/00007632-199705150-00012.
9. Kovacs FM, Urrutia G, Alarcon JD. Surgery versus conservative treatment for symptomatic lumbar spinal stenosis: a systematic review of randomized controlled trials. *Spine.* 2011;36(20):E1335-51. doi: 10.1097/BRS.0b013e31820c97b1.
10. Machado GC, Ferreira PH, Harris IA, et al. Effectiveness of surgery for lumbar spinal stenosis: a systematic review and meta-analysis. *PLoS One.* 2015;10(3):e0122800. doi: 10.1371/journal.pone.0122800.
11. Micankova Adamova B, Vohanka S, et al. Prediction of long-term clinical outcome in patients with lumbar spinal stenosis. *Eur Spine J.* 2012;21(12):2611-2619. doi:10.1007/s00586-012-2424-7.
12. Min JH, Jang JS, Lee SH. Clinical significance of redundant nerve roots of the cauda equina in lumbar spinal stenosis. *Clin Neurol Neurosurg.* 2008;110:14-8. doi: 10.1016/j.clin-neuro.2007.08.005.
13. Nechanicka N, Barsa P, Harsa P. Psychosocial factors in patients indicated for lumbar spinal stenosis surgery. *J Neurol Surg A Cent Eur Neurosurg.* 2016;77(5):432-40. doi: 10.1055/s-0036-1583179.
14. Pearson A, Lurie J, Tosteson T, et al. Who should have surgery for spinal stenosis? Treatment effect predictors in SPORT. *Spine (Phila Pa 1976).* 2012;37(21):1791-1802. doi:10.1097/BRS.0b013e3182634b04.
15. Schizas C, Theumann N, Burn A, et al. Qualitative grading of severity of lumbar spinal stenosis based on the morphology of the dural sac on magnetic resonance images. *Spine.* 2010;35(21):1919-1924. doi: 10.1097/BRS.0b013e3181d359bd.
16. Simotas AC, Dorey FJ, Hansraj KK, et al. Nonoperative treatment for lumbar spinal stenosis. Clinical and outcome results and a 3-year survivorship analysis. *Spine.* 2000;25(2):197-203. doi: 10.1097/00007632-200001150-00009.
17. Spetzger U, Bertalanffy H, Reinges MHT, et al. Unilateral laminotomy for bilateral decompression of lumbar spinal stenosis. Part II: Clinical experiences. *Acta Neurochir (Wien).* 1997;139:397-403. doi: 10.1007/BF01808874.
18. Stromqvist F, Jonsson B, Stromqvist B. Swedish Society of Spinal Surgeons. Dural lesions in decompression for lumbar spinal stenosis: incidence, risk factors and effect on outcome. *Eur Spine J.* 2012;21:825-828. doi: 10.1007/s00586-011-2101-2.
19. Suzuki K, Ishida Y, Ohmori K, et al. Redundant nerve roots of the cauda equina: clinical aspects and consideration of pathogenesis. *Neurosurgery.* 1989;24:521-8. doi: 10.1227/00006123-198904000-00006.
20. Weinstein JN, Tosteson TD, Lurie JD, et al. Surgical versus nonsurgical therapy for lumbar spinal stenosis. *N Engl J Med.* 2008;358:794-810. doi: 10.1056/NEJMoa0707136.
21. Yang SM, Park HK, Cho SJ, et al. Redundant nerve roots of cauda equina mimicking intradural disc herniation: a case report. *Korean J Spine.* 2013;10:41-43. doi:10.14245/kjs.2013. 10. 1. 41.



3.

dny praktické neurologie

14.-15. 9. 2023
ÚSTÍ NAD LABEM



VÍCE INFORMACÍ NA
www.kongresneurologie.cz

